


DESAY®

*Now is the time to
record on DVD*



The brand-new series of DESAY DVD-recorders

HDD&DVD Recoder

Recording	Built-In Harddisk (40 GB) / DVD+R/DVD+RW	
Recording Time & quality	8 1/2 - 52 h (XP, SP, LP, EP) / 1 - 6 h (HQ, SP, LP, EP, SLP)	
Internal Copying methods	Harddisk - DV+RW / DVD+RW - Harddisk	
Video-Record Format	PAL / NTSC	
Audio-Record Format	Digital / Analog	
Discs Playback	DVD-R/DVD+R, DVD-RW (only Video-Mode), DVD+RW, DVD-Video, Video-CD, S-Video-CD, Audio-CD incl. CD-R and CD-RW, MP3 Cds and Kodak Picture CDs.	
Progressive-Scan	PAL / NTSC	
Connections	Record	Playback
IEEE 1394 DV i.LINK	Yes	-
USB2.0	Yes	-
SCART 1 / SCART 2	Composite (CVBS), RGB Composite (CVBS), RGB	
Component (YUV) / S-Video / Composite(CVBS)	- / Yes / Yes	Yes / Yes/Yes
Digital Audio. optical / coaxial	- / -	Yes / Yes
Analog Audio	2-Channel	5.1 Channel
RF TV Antenna	Yes	Yes



DS-R95 Features



Elegant 55mm slim aluminum front panel design, Remote-control interface, VBR (Variable Bit Rate Recording), OTR(One Touch Recording), One-Time Recording / Timer Recording, Analogue PAL/SECAM video Tuner, VPS, VIDEO PLUS+/Showview TV Programming, i.LINK & USB 2.0 digital connections, Nicam Decoding, Teletext Extraction, Automatic index creation, Easy editing for video content and trimming home videos, KARAOKE features, Multilingual On-Screen Display, Power Supply : 100V~240V, 50/60Hz, Power consumption: operation 35W, Standby 3W. Size:430(L)mmX370(W)mmX55mm(H), Weight: 6Kg.

DS-R85

DVD+RW



Recording	DVD+R, DVD+RW	
Recording Time & quality	1-6 hours (HQ: 60 min; SP: 120 min; LP: 180 min; EP: 240 min; SLP: 360 min)	
Playback on conventional DVD-Player	DVD+R (almost all), DVD+RW (mostly)	
Video-Record Format	PAL / NTSC	
Audio-Record Format	Digital / Analog	
Discs Playback	DVD-R, DVD+R, DVD-RW (only Video-Mode), DVD+RW, DVD-Video, Video-CD, S-Video-CD, Audio-CD incl. CD-R and CD-RW, MP3 CDs and Kodak Picture Cds.	
Progressive-Scan	PAL / NTSC	
Connections	Record	Playback
IEEE 1394 DV i.LINK	Yes	-
SCART 1 / SCART 2	Composite (CVBS), RGB	Composite (CVBS), RGB
Component (YUV) / S-Video / Composite(CVBS)	- / Yes / Yes	Yes / Yes / Yes
Digital Audio. optical / coaxial	- / -	Yes / Yes
Analog Audio	2-Channel	5.1 Channel
RF TV Antenna	Yes	Yes

Features:

Elegant 55mm slim front panel design, Remote-control interface, VBR (Variable Bit Rate) Recording, One Touch Recording, One-Time Recording / Timer Recording, analogue PAL/SECAM video Tuner, VPS, VIDEO PLUS+/Showview TV Programming, i.LINK connection, Automatic index creation, Easy editing for video content and trimming home videos, KARAOKE features, Multilingual On-Screen Display, Power Supply : 100V~240V, 50/60Hz, Power consumption: operation 35W, Standby 3W. Size:430mm(L)X370mm(W)X55mm(H), Weight: 4.5Kg.

Recording	DVD+R, DVD+RW	
Recording Time & quality	1-6 hours (HQ: 60 min; SP: 120 min; LP: 180 min; EP: 240 min; SLP: 360 min)	
Playback on conventional DVD-Player	DVD+R (almost all), DVD+RW (mostly)	
Video-Record Format	PAL / NTSC	
Audio-Record Format	Digital / Analog	
Playback	DVD-R, DVD+R, DVD-RW (only Video-Mode), DVD+RW, DVD-Video, Video-CD, S-Video-CD, Audio-CD incl. CD-R and CD-RW, MP3 CDs and Kodak Picture Cds.	
Progressive-Scan	PAL / NTSC	
Connections	Record	Playback
IEEE 1394 DV i.LINK	-	-
SCART 1 / SCART 2	-	Composite (CVBS), RGB
Component (YUV) / S-Video / Composite(CVBS)	- / Yes / Yes	Yes / Yes / Yes
Digital Audio. optical / coaxial	- / -	- / Yes
Analog Audio	2-Channel	2- Channel
RF TV Antenna	Yes	Yes


Features:

Elegant 55mm slim front panel design, Remote-control interface, VBR (Variable Bit Rate) Recording, OTR(One Touch Recording), One-Time Recording / Timer Recording, Analogue PAL/SECAM video Tuner, Automatic index creation, Easy editing for video content and trimming home videos, Multilingual On-Screen Display, Power Supply : 100V~240V, 50/60Hz, Power consumption: operation 35W, Standby 3W. Size:430mm(L)X370mm(W)X55mm(H), Weight: 4.3Kg.

DVD+RW

DS-R80





DESAY®

DESAY A&V SCIENCE AND TECHNOLOGY CO., LTD.

Add: DESAY 3rd Industry Zone, Chenjiang, Huizhou, Guangdong
516229 P.R.China

Tel: (+86 752) 2619 856/852/853/855/761/757/756/753/752/751/

Fax: (+86 752) 2619858

E-mail: lamixu@chinadesay.com

<http://www.globalsources.com/desay.co>

<http://www.chinadesay.com>

* Design and specifications are subject to change without notice.